

BOARD OF  
BUILDING AND SAFETY  
COMMISSIONERS

MARSHA L. BROWN  
PRESIDENT

VAN AMBATIELOS  
VICE-PRESIDENT

VICTOR H. CUEVAS  
HELENA JUBANY  
ELENORE A. WILLIAMS

CITY OF LOS ANGELES

CALIFORNIA



ANTONIO R. VILLARAIGOSA  
MAYOR

DEPARTMENT OF  
BUILDING AND SAFETY  
201 NORTH FIGUEROA STREET  
LOS ANGELES, CA 90012

ROBERT R. "BUD" OVROM  
GENERAL MANAGER

RAYMOND S. CHAN, P.E., S.E.  
EXECUTIVE OFFICER

RECEIVED  
8/16/10

ITW Ramset  
700 High Grove Blvd  
Glendale Heights, IL 60139

Attn: Dave Jablonski  
(800) 726-7386

RESEARCH REPORT: RR 22668  
(CSI #03150)

BASED UPON ICC ES EVALUATION  
REPORT NO. ESR-1799

REEVALUATION DUE DATE:

September 1, 2012

Issued Date: July 1, 2010

Code: 2008 LABC

**GENERAL APPROVAL - Reevaluation - Ramset Power-Driven Fasteners**

**DETAILS**

The above assemblies and/or products are approved when in compliance with the description, use, identification and findings of Report No. ESR-1799, dated June 1, 2009, of the ICC Evaluation Service, Incorporated. The report, in its entirety, is attached and made part of this general approval.

The parts of Report No. ESR-1799 which are excluded on the attached copy have been removed by the Los Angeles City Building Department as not being included in this approval.

**The approval is subject to the following conditions:**

1. The fasteners shall not be used to resist seismic loads, except for fasteners used with architectural, electrical, and mechanical components described in Section 13.1.4 of ASCE 7 per condition 4.1.1 of the attached Evaluation Service Report.
2. Shear values for fasteners in concrete are for connections of steel to concrete. Allowable bearing stresses for the steel material being connected shall not be exceeded.
3. The minimum concrete thickness shall be three times the fasteners embedment in concrete, except where noted otherwise in this report.

RR 22668  
Page 1 of 3