



J-MASTER TOOL L-1700



Threads easily into any 1/2" threaded pipe

DESCRIPTION

- For Attachment of Hanger Wire Clips J-Clip® (L1701) and Clip-Pur® (L1801)
- A Non-Powder Alternative
- 19 gauge clip

ADVANTAGES

- For strong, reliable attachment of hanger wire from open web bar joists or purlins
- No hammering, punching holes or wrapping wire
- Fast, easy installation from floor level
- Two magnetized strips included for use in attachment of Clip-Pur (L1801)
- No ladders or scaffolding necessary
- Threads easily into any 1/2" threaded pipe

CLIPS FOR USE WITH THE J-MASTER® TOOL



J-CLIP (L1701)

252 lb. Allowance working load (4:1 safety factor)

- Strong, reliable attachment of pre-tied hanger wire
- Use for open web bar joists or purlins
- Each clip fits 1/16"-1/4" flanges



CLIP-PUR (L1801)

217 lb. Allowable working load (4:1 safety factor)


- Fast, easy attachment of pre-tied hanger wire from Z-Purlins
- Disengages from J-Master tool after installation

EASY INSTALLATION


1. Attach a 1/2" pipe extension (dielectric pole available) to the threaded end of a J-Master tool, and place pre-wired J-Clip into tool.
2. Attach a 1/2" pipe extension (dielectric pole available) to the threaded end of a J-Master tool, and place pre-wired J-Clip into tool.
3. Disengage the tool by lifting up and out.

EASY INSTALLATION


1. Attach J-Master tool to end of threaded 1/2" pipe or dielectric pole. Lay pre-tied Clip-Pur against magnetized strips.
2. Raise the Clip-Pur up to the purlin. Position the clip on the 45° flange and give a downward tug, the clip is now in position.



Ask about our
Black Claw Spring Steel Clips



J-Clip attached to the J-Master Tool



Clip-Pur attached to the J-Master Tool